



Way Ahead

TMI Expertise



**Rishabh Instruments Pvt. Ltd.**

Price List w.e.f July 2021

# Index

<b>TMI Expertise</b>	<b>Page No.</b>
Digital Multimeters	01
Digital Clamp Meters	02
Insulation Testers	03
Earth Testers	06
Product End-Of-Life	07
<b>Terms and conditions</b>	<b>08</b>



# Digital Multimeters



Material Code	Model No	Description	Digits / Counts	Category	LP (INR)
<b>Economical Multimeters</b>					
MM10-1N2Z00000000	RISH Max 10	MAX 10	[3 3/4], 3999	CAT II	2,495
MM10-1F2Z00000000		MAX 10 Fine Tip Probe			
MM67-402F00Z000000	RISHABH Young	DMM YOUNG FT W/O BACKLIT W/O HOLSTER	[3 3/4], 3999	NA	1,630
MM67-402F000000000	RISHABH Young	DMM YOUNG FT W/O BACKLIT WITH HOLSTER	[3 3/4], 3999	NA	1,705
MM67-401F00Z000000	RISHABH i-Young	DMM i-YOUNG FT W/O BACKLIT W/O HOLSTER	[3 3/4], 3999	NA	1,745
MM67-401F000000000	RISHABH i-Young	DMM iYOUNG FT W/O BACKLIT WITH HOLSTER	[3 3/4], 3999	NA	1,815
<b>General Purpose Multimeters</b>					
MM60-410N000000000	RISHABH 410	DMM 410 NT	[3 3/4], 3999	CAT III	3,105
MM60-410F000000000		DMM 410 Fine Tip Probe			
MM60-612N000000000	RISHABH 612	DMM 612 NT	[4], 6600	CAT IV	4,415
MM60-612F000000000		DMM 612 Fine Tip Probe			
MM60-613N000000000	RISHABH 613	DMM 613 NT	[4], 6600	CAT III	4,545
MM60-613F000000000		DMM 613 Fine Tip Probe			
MM60-615N000000000	RISHABH 615	DMM 615 NT	[4], 6600	CAT IV	4,795
MM60-615F000000000		DMM 615 Fine Tip Probe			
MM60-616N000000000	RISHABH 616	DMM 616 NT TRMS	[4], 6600	CAT IV	7,740
MM60-616F000000000		DMM 616 Fine Tip Probe TRMS			
<b>Industrial Multimeters</b>					
MM20-2NB4000000000	RISH Multi 12S	Multi 12S Backlit	[3 3/4], 3100	CAT IV	5,130
MM20-2FB4000000000		Multi 12S Fine Tip Backlit			
MM20-3NB4000000000	RISH Multi 13S	Multi 13S Backlit	[3 3/4], 3100	CAT III	5,785
MM20-3FB4000000000		Multi 13S Fine Tip Backlit			
MM20-4NB4000000000	RISH Multi 14S	Multi 14S Backlit	[3 3/4], 3100	CAT IV	5,890
MM20-4FB4000000000		Multi 14S Fine Tip Backlit			
MM20-5NB4000000000	RISH Multi 15S	Multi 15S Backlit	[3 3/4], 3100	CAT IV	7,665
MM20-5FB4000000000		Multi 15S Fine Tip Backlit			
MM20-6NB4000000000	RISH Multi 16S	Multi 16S TRMS Backlit	[3 3/4], 3100	CAT IV	11,215
MM20-6FB4000000000		Multi 16S TRMS Fine Tip TRMS Backlit			
<b>Advanced Multimeters</b>					
MM20-7NB4000000000	RISH Multi 18S	Multi 18S TRMS Backlit	[4 3/4], 31000	CAT IV	16,675
MM20-7FB4000000000		Multi 18S Fine Tip TRMS Backlit			
MM20-8NB4000000000	RISH Multi 18S IR	Multi 18S IR (Indian Railway) TRMS Backlit	[4 3/4], 31000	CAT IV	17,540
MM20-8FB4000000000		Multi 18S IR (Indian Railway) Fine Tip TRMS Backlit			
MM20-9NB4000000000	RISH Multi 20	Multi 20 TRMS Backlit	[5 3/4], 310000	CAT IV	19,230
MM20-9FB4000000000		Multi 20 Fine Tip TRMS Backlit			
IT30-1N00000000000	RISH MIT 30	MIT 30 TRMS , 3 GΩ Insulation resistance measurement	[3 3/4], 3100	CAT III	10,680
IT30-1F00000000000		MIT 30 Fine Tip TRMS , 3 GΩ Insulation resistance measurement			
MM66-6012N000000000	RISHABH 6012	TRMS Datalogging DMM	[5], 60000	CAT IV	14,635
MM66-6012F000000000		TRMS Datalogging DMM Fine Tip			
MM66-6013N000000000	RISHABH 6013	TRMS Datalogging DMM	[5], 60000	CAT II	15,915
MM66-6013F000000000		TRMS Datalogging DMM Fine Tip			
MM66-6015N000000000	RISHABH 6015	TRMS Datalogging DMM	[5], 60000	CAT IV	17,695
MM66-6015F000000000		TRMS Datalogging DMM Fine Tip			
MM66-6016N000000000	RISHABH 6016	TRMS Datalogging DMM	[5], 60000	CAT IV	20,405
MM66-6016F000000000		TRMS Datalogging DMM Fine Tip			
MM66-6012F0BT00000	RISHABH 6012 Bluetooth	TRMS Datalogging DMM	[5], 60000	CAT IV	18,420
MM66-6012NOBT00000		TRMS Datalogging DMM Fine Tip			
MM66-6013F0BT00000	RISHABH 6013 Bluetooth	TRMS Datalogging DMM	[5], 60000	CAT II	19,585
MM66-6013NOBT00000		TRMS Datalogging DMM Fine Tip			
MM66-6015F0BT00000	RISHABH 6015 Bluetooth	TRMS Datalogging DMM	[5], 60000	CAT IV	21,360
MM66-6015NOBT00000		TRMS Datalogging DMM Fine Tip			
MM66-6016F0BT00000	RISHABH 6016 Bluetooth	TRMS Datalogging DMM	[5], 60000	CAT IV	24,075
MM66-6016NOBT00000		TRMS Datalogging DMM Fine Tip			

Note: Multimeters are available with either Normal Probe Set (NT) or Fine Tip Probe Set (FT). Use the appropriate Ordering code for probe selection.

# Digital Clamp Meters



Material Code	Model No	Description	Digits/Counts	Category	LP (INR)
CL10-4NZ0000000000	RISH Clamp ES400 AC	400 A AC Digital Clamp meter	[3 3/4], 3999	CAT III	3,150
CL10-4FZ0000000000	RISH Clamp ES400 AC	400 A AC Digital Clamp meter Fine Tip			
CL10-3NZ0000000000	RISH Clamp ES1000 AC	1000 A AC Digital Clamp meter	[3 3/4], 3999	CAT III	3,555
CL10-3FZ0000000000	RISH Clamp ES1000 AC	1000 A AC Digital Clamp meter Fine Tip			
CL10-2NB0000000000	RISH Clamp 300A AC	Clamp 300A Backlit	[3 3/4], 3100	CAT IV	5,520
CL10-2FB0000000000	RISH Clamp 300A AC	Clamp 300A Fine Tip Backlit			
CL10-1NB0000000000	RISH Clamp 1000A AC	Clamp 1000A Backlit	[3 3/4], 3100	CAT IV	5,950
CL10-1FB0000000000	RISH Clamp 1000A AC	Clamp 1000A Fine Tip Backlit			
CL20-3NB0000000000	RISH Clamp 300A AC/DC	Clamp 300A AC/DC Backlit	[3 3/4], 3100	CAT IV	8,405
CL20-3FB0000000000	RISH Clamp 300A AC/DC	Clamp 300A AC/DC Fine Tip Backlit			
CL20-1NB0000000000	RISH Clamp 1000A AC/DC	Clamp 1000A AC/DC TRMS Backlit	[3 3/4], 3100	CAT IV	11,525
CL20-1FB0000000000	RISH Clamp 1000A AC/DC	Clamp 1000A AC/DC TRMS Fine Tip Backlit			
CL30-3NZ0000000000	RISH Clamp Power 400A AC/DC	400 A AC/DC 3 Phase Power Clamp meter with inrush measurement	[4], 9999	CAT IV	11,435
CL30-3FZ0000000000	RISH Clamp Power 400A AC/DC	400 A AC/DC 3 Phase Power Clamp meter with inrush measurement Fine Tip			
CL30-1NZ0000000000	RISH Clamp Power 1000A AC/DC	1000 A AC/DC 3 Phase Power Clamp meter with inrush measurement	[4], 9999	CAT IV	15,825
CL30-1FZ0000000000	RISH Clamp Power 1000A AC/DC	1000 A AC/DC 3 Phase Power Clamp meter with inrush measurement Fine Tip			
RISH Clamp Power with Bluetooth (Available from Sep'21)			<b>NEW!</b>	CAT IV	16,200
RISH Clamp Solar with 1500 AC/DC current and 1500V DC voltage (Available from Sep'21)			<b>NEW!</b>	CAT IV	16,800
IT91-2010000000000	Agam ALCT 66A	AC Leakage Clamp Meter 0.001mA to 60A	[4], 9999	CAT II	15,685
IT91-3010000000000	Agam ALCT 606A	AC Leakage Clamp Meter 0.1mA to 600A	[4], 9999	CAT II	18,500
IT91-4010000000000	Agam ALCT 60A	AC/DC Leakage Clamp Meter up to 60A	[4], 9999	CAT III	20,475
<b>Optional Accessories for DMM &amp; Clamp Meter</b>					
CL90-1100000000000		Clip on CT 300A/0.3A AC			2,205
CL90-2100000000000	RISH Clip on CT	Clip on CT 1000A/1A AC			2,805
CL90-3100000000000	RISH Clip on CT	Clip on CT 1000A/5A AC			2,805
RISH Multi SI 232 Communication Adaptor - Storage Adaptor + RISH COM 100 Software					
Temperature Probe - PT 100					
Temperature Probe - PT 1000					
High Voltage Probe - 3 K V					
High Voltage Probe - 30 K V					
1.6 Amp Fuse for RISH Multi / RISH Max					
16 Amp Fuse for RISH Multi / RISH Max					
Normal Tip silicon Probe Set – Digital Multimeters and Clamp Meters					
Fine Tip silicon Probe Set – Digital Multimeters and Clamp Meters					
RISH Multi Carrying Case					
RISH Clamp meter Carrying case					
Crocodile Clip Set					
Test Certificate for RISH Max Series - RISH Max 10					
Terminal block for RISH Max Series					
SPAR-SD00-0226 : External power supply adapter for 601X DMM					
SPAR-SD00-0227 : USB Interface adapter for 601X DMM					



# Insulation Testers



Material Code	Model No	Description	Insulation Resistance	Voltage Range	LP (INR)
<b>High-Voltage Insulation Testers</b>					
<b>RISH Insu Series</b>					
IT50-1NS0000000000	RISH Insu 5000A	Insu 5000A STD High-voltage insulation tester with battery operation	10KΩ-1TΩ	5kV	42,430
IT50-1BS0000000000		Insu 5000A Bull Dog clip STD High-voltage insulation tester with battery operation			
IT50-2NS0000000000	RISH Insu 5000AK	Insu 5000AK STD High-voltage insulation tester with battery and hand crank generator operation	10KΩ-1TΩ	5kV	47,220
IT50-2BS0000000000		Insu 5000AK Bull Dog clip STD High-voltage insulation tester with battery and hand crank generator operation			
IT50-5NS0000000000	RISH Insu 5000 AM	Insu 5000AM STD Mains and Battery operated	10KΩ-1TΩ	5kV	47,220
IT50-6NS0000000000	RISH Insu 5000 AMR	Insu 5000AKMR STD Mains Operated with Rechargeble Battery	10KΩ-1TΩ	5kV	48,980
IT50-3NS0000000000	RISH Insu 5000AKM	Insu 5000AKM STD Battery, Crank & Mains Operated	10KΩ-1TΩ	5kV	52,870
IT50-3BS0000000000		Insu 5000AKM Bull Dog clip STD Battery, Crank & Mains Operated			
IT50-4NS0000000000	RISH Insu 5000AKMR	Insu 5000AKMR STD Crank & Mains Operated with Rechargeble Battery	10KΩ-1TΩ	5kV	57,220
IT50-4BS0000000000		Insu 5000AKMR Bull Dog clip STD Crank & Mains Operated with Rechargeble Battery			
IT91-1010000000000	Agam AIT 501	5kV Digital Insulation Tester	Upto 1TΩ	5kV	33,560
DT08-1N13000000000	RISH Insu 5Dt	5kV Digital Insulation Tester, 3mA short circuit current – Bench top model (with software, USB & Bluetooth communication, without leads #)	Upto 2TΩ	5kV	"Price on request"
DT28-1N00000000000	RISH Insu 5Dx <sup>+</sup>	5kV Digital Insulation Tester, 6mA short circuit current - Suitcase model (with software , USB & Bluetooth communication, without leads #)	Upto 10TΩ	5kV	
DT28-2N00000000000	RISH Insu 10Dx <sup>+</sup>	10kV Digital Insulation Tester, 6mA short circuit current - Suitcase model (with software, USB & Bluetooth communication, without leads #)	Upto 20TΩ	10kV	
# Select the appropriate leads from the section below					
SPAR-SD00-0772	3m test leads with crocodile clips (Only for RISH Insu 5Dt)				
SPAR-SD00-0774	3m test leads set (+ve, -ve & Guard lead) with 50mm jaw clamps				
SPAR-SD00-0775	10m test leads set (+ve, -ve & Guard lead) with 50mm jaw clamps				
SPAR-SD00-0776	15m test leads set (+ve, -ve & Guard lead) with 50mm jaw clamps (Recommended for operation in 765kV switchyards)				



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
<b>Analog Low-Voltage Insulation Testers</b>					
IT84-0111000000000	ITHV-2525	ITHV2525 1M STD BOX	0-2500 MΩ (Voltage - 2500V)	2.5kV	7,480
IT84-0211000000000	ITHV-2550	ITHV2550 1M STD BOX	0-5000 MΩ (Voltage - 2500V)	2.5kV	7,480
IT84-0311000000000	ITHV-25100	ITHV25100 1M STD BOX	0-10000 MΩ (Voltage - 2500V)	2.5kV	8,255
IT84-0411000000000	ITHV-25200	ITHV25200 1M STD BOX	0-20000 MΩ (Voltage - 2500V)	2.5kV	9,010
IT84-1011000000000	ITHV-25500	ITHV25500 1M STD BOX	0-50000 MΩ (Voltage - 2500V)	2.5kV	10,540
IT84-0511000000000	ITHV-5050	ITHV5050 1M STD BOX	0-5000 MΩ (Voltage - 5000V)	5kV	9,785
IT84-0611000000000	ITHV-50100	ITHV50100 1M STD BOX	0-10000 MΩ (Voltage - 5000V)	5kV	9,785
IT84-0711000000000	ITHV-50200	ITHV50200 1M STD BOX	0-20000 MΩ (Voltage - 5000V)	5kV	10,540
IT84-0811000000000	ITHV-50500	ITHV50500 1M STD BOX	0-50000 MΩ (Voltage - 5000V)	5kV	12,070
IT84-0911000000000	ITHV-501000	ITHV501000 1M STD BOX	0-100000 MΩ (Voltage - 5000V)	5kV	15,275
<b>Upgradation Cost for ITHV Series</b>					
To order ITHV with Dual Insulation Range**					1,255
To order ITHV Dual Insulation Range with Dual Voltage**					2,805
**Net price = LP of Upgradation + LP of Higher Insulation range model					
<b>ITS / ITS-C Series Polycarbonate Body</b>					
IT80-3110000000000	ITS-5010	ITS 5010 1M CROC CLIP STD BOX	100 MΩ	500 V	2,020
IT80-4110000000000	ITS-10020	ITS 10020 1M CROC CLIP STD BOX	200 MΩ	1000 V	2,080
IT82-3120000000000	ITC-5010	ITC 5010 1M STD BOX with continuity	100 MΩ (Voltage - 500V)	500 V	1,970
IT82-4120000000000	ITC-10020	ITC 10020 1M STD BOX with continuity	200 MΩ (Voltage - 500V)	1000 V	2,155
<b>IT / ITI / ITI-V Series Metal Body with guard terminals (IS:2992)</b>					
IT83-0111000000000	ITI-102	ITI 102 1M STD BOX	0-20 MΩ (Voltage - 100V)	100V	4,470
IT83-0211000000000	ITI-105	ITI 105 1M STD BOX	0-50 MΩ (Voltage - 100V)	100V	4,470
IT83-0311000000000	ITI-252	ITI 252 1M STD BOX	0-20 MΩ (Voltage - 250V)	250V	4,470
IT83-0411000000000	ITI-255	ITI 255 1M STD BOX	0-50 MΩ (Voltage - 250V)	250V	4,470
IT83-0511000000000	ITI-5010	ITI5010 1M STD BOX	0-100 MΩ (Voltage - 500V)	500 V	4,470
IT83-0611000000000	ITI-5020	ITI5020 1M STD BOX	0-200 MΩ (Voltage - 500V)	500 V	4,470
IT83-0711000000000	ITI-5050	ITI5050 1M STD BOX	0-500 MΩ (Voltage - 500V)	500 V	4,960
IT83-0811000000000	ITI-50100	ITI50100 1M STD BOX	0-1000 MΩ (Voltage - 500V)	500 V	4,960
IT83-0911000000000	ITI-50200	ITI50200 1M STD BOX	0-2000 MΩ (Voltage - 500V)	500 V	4,960
IT83-1011000000000	ITI-10010	ITI10010 1M STD BOX	0-100 MΩ (Voltage - 1000V)	1000V	4,960
IT83-1111000000000	ITI-10020	ITI10020 1M STD BOX	0-200 MΩ (Voltage - 1000V)	1000V	4,960
IT83-1211000000000	ITI-10050	ITI10050 1M STD BOX	0-500 MΩ (Voltage - 1000V)	1000V	5,275
IT83-1311000000000	ITI-100100	ITI100100 1M STD BOX	0-1000 MΩ (Voltage - 1000V)	1000V	5,275
IT83-1411000000000	ITI-100200	ITI100200 1M STD BOX	0-2000 MΩ (Voltage - 1000V)	1000V	5,275
IT83-1511000000000	ITI-V-5010	ITIV5010 1M STD BOX	0-100 MΩ (Voltage - 500V)	500 V	4,960
IT83-1611000000000	ITI-V-10020	ITIV10020 1M STD BOX	0-200 MΩ (Voltage - 500V)	500 V	5,120





# Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
<b>Analog Multirange Insulation Testers</b>					
<b>ITMR Series (Hand Driven Generator Type)</b>					
IT85-0111000000000	ITMR-1-122	ITMR-1-122 1M STD BOX	0-20 MΩ (Voltage - 100V) 0.2-200 MΩ (Voltage - 100V)	100V	6,710
IT85-0211000000000	ITMR-1-255	ITMR-1-255 1M STD BOX	0-50 MΩ (Voltage - 250V) 0.5-500 MΩ (Voltage - 250V)	250V	6,710
IT85-0311000000000	ITMR-1-5110	ITMR-1-5110 1M STD BOX	0-100 MΩ (Voltage - 500V) 0-1000 MΩ (Voltage - 500V)	500 V	6,710
IT85-0411000000000	ITMR-1-10220	ITMR-1-10220 1M STD BOX	0-200 MΩ (Voltage - 1000V) 0-2000 MΩ (Voltage - 1000V)	1000V	6,710
IT85-0511000000000	ITMR-2-51102	ITMR-2-51102 1M STD BOX	0-1000 MΩ (Voltage - 500V) 0-200 MΩ (Voltage - 100V)	500V, 100V	7,675
IT85-0611000000000	ITMR-2-101202	ITMR-2-101202 1M STD BOX	0-2000 MΩ (Voltage - 1000V) 0-200 MΩ (Voltage - 100V)	1000V, 100V	7,675
IT85-0711000000000	ITMR-2-1052010	ITMR-2-1052010 1M STD BOX	0-2000 MΩ (Voltage - 1000V) 0-1000 MΩ (Voltage - 500V)	1000V, 500V	7,675
IT85-0811000000000	ITMR-3	ITMR-3 1M STD BOX	0-2000 MΩ (Voltage - 1000V) Continuity 0-20kΩ & Discharge 0-1000 MΩ (Voltage - 500V) Continuity 0-20kΩ & Discharge 0-500 MΩ (Voltage - 250V) Continuity 0-20kΩ & Discharge	1000V, 500V, 250V	11,175
IT85-0911000000000	ITMR-4	ITMR-4 1M STD BOX	0-200 MΩ (Voltage - 1000V) Continuity 0-500Ω 0-100 MΩ (Voltage - 500V) Continuity 0-500Ω 0-50 MΩ (Voltage - 250V) Continuity 0-500Ω 0-20 MΩ (Voltage - 100V) Continuity 0-500Ω	1000V, 500V, 250V, 100V	10,225
<b>Digital Low-Voltage Insulation Testers</b>					
IT10-1N00000000000	RISH Insu 10	Insu 10	10KΩ-999MΩ	1000V	4,815
IT10-1F00000000000		Insu 10 Fine Tip			
IT20-1NS00000000000	RISH Insu 20	Insu 20 Battery Operated	10KΩ-2GΩ	1000V	5,760
IT20-1FS00000000000		Insu 20 Fine Tip Battery Operated			
IT20-2NS00000000000	RISH Insu 20 A	Insu 20 A Mains & Battery Operated	10KΩ-2GΩ	1000V	6,605
IT20-2FS00000000000		Insu 20 A Fine Tip Mains & Battery Operated			



Material Code	Model No	Description	Earth Resistance	LP (INR)
<b>Earth &amp; Continuity Testers – Analog</b>				
<b>ET Series (IS:9223) - Direct Indicating Type (Four Terminals)</b>				
<b>Single Range</b>				
EA01-0110000000000	SET-3	SET 3 STD BOX	0-3 Ω	4,530
EA01-0210000000000	SET-10	SET 10 1M STD BOX	0-10 Ω	4,530
EA01-0310000000000	SET-50	SET 50 STD BOX	0-50 Ω	4,530
EA01-0410000000000	SET-100	SET 100 1M STD BOX	0-100 Ω	4,530
EA01-0510000000000	SET-500	SET 500 1M STD BOX	0-500 Ω	4,530
<b>Double Range</b>				
EA01-0610000000000	DET-1	DET 1 STD BOX	0-1 Ω / 0-10 Ω	4,815
EA01-0710000000000	DET-10	DET 10 1M STD BOX	0-10 Ω / 0-100 Ω	4,815
EA01-0810000000000	DET-20	DET 20 STD BOX	0-20 Ω / 0-200 Ω	4,815
EA01-0910000000000	DET-50	DET 50 STD BOX	0-50 Ω / 0-500 Ω	4,815
EA01-1010000000000	DET-100	DET 100 STD BOX	0-100 Ω / 0-1000 Ω	4,815
EA01-1110000000000	DET-500	DET 500 STD BOX	0-500 Ω / 0-5000 Ω	4,815
<b>Triple Range</b>				
EA01-1210000000000	TET-1	TET 1 STD BOX	0-1 Ω / 0-10 Ω / 0-100 Ω	5,185
EA01-1310000000000	TET-3	TET 3 STD BOX	0-3 Ω / 0-30 Ω / 0-300 Ω	5,185
EA01-1410000000000	TET-5	TET 5 STD BOX	0-5 Ω / 0-50 Ω / 0-500 Ω	5,185
EA01-1510000000000	TET-10	TET 10 STD BOX	0-10 Ω / 0-100 Ω / 0-1000 Ω	5,185
EA01-1610000000000	TET-50	TET 50 STD BOX	0-50 Ω / 0-500 Ω / 0-5000 Ω	5,185
<b>Four Range</b>				
EA01-1710000000000	FET-1	FET 1 STD BOX	0-1Ω / 0-10Ω / 0-100Ω / 0-1000Ω	5,550
EA01-1810000000000	FET-3	FET 3 STD BOX	0-3Ω / 0-30Ω / 0-300Ω / 0-3000Ω	5,550
EA01-1910000000000	FET-10	FET 10 STD BOX	0-10Ω/0-100Ω/0-1000Ω/0-10000Ω	5,550
<b>Digital Earth Tester</b>				
EA51-1011000000000	AET 23 (w/o kit)	Digital Earth Tester w/o kit	0-20Ω/0-200Ω/0-2000Ω	9,205
EA51-1010000000000	AET 23 (with kit)	Digital Earth Tester with kit	0-20Ω/0-200Ω/0-2000Ω	13,285
<b>Rishabh Maintenance Tool Kit</b>				
TM00-1400000000000	RISH Kit 14E	Kit consisting of Tool Bag, RISH Insu 10, Rishabh 410, RISH Clamp ES1000 & Accessories		13,235
TM00-2600000000000	RISH Kit 26D	Kit consisting of Tool Bag, RISH Insu 20, Rishabh 616, RISH Clamp 1000A AC/DC & Accessories		25,395
TM00-3600000000000	RISH Kit 36P	Kit consisting of Tool Bag, RISH Mit 30, Rishabh 616, RISH Clamp Power 1000A AC/DC & Accessories		36,685
Note : Took kit can be customised as per the requirement of customer after feasibility check.				
<b>Optional Accessories for Insulation/Earth/Continuity Testers</b>				
Extra Cable for RISH Insu 5000A/AK/AKM - Price Per Meter / Per Dipole				1,600
Standard Cable length -1.5m & Maximum possible length is 10m(Including 1.5m)				
RISH Insu 10/20 Normal Tip silicon Probe set				380
RISH Insu 10/20 Fine Tip silicon Probe Set				380
Crocodile Clip Set				250
Crocodile Clip Set for RISH Insu 5000A/AK/AKM ( 3 nos )				1,270
RISH Insu 10/20 Carrying Case				375
RISH Insu 5000A/AK/AKM Carrying Case				1,600
RISH Insu 20 Mains Adaptor				805
Spare Hand Crank For 5000A				4,760
Rechargeble Battery set for 5000AKM				4,410
FUSE 500mA /500V for RISH Insu 10/20				95
ITS	Probe Assembly black for Polycarbonate Body			465
ITI/ ITI-V/ITHV/ITMR	Test Leads 1 Mtr Long			550
ITI/ ITI-V/ITHV/ITMR	Test Leads 3 Mtrs Long			775
ITS	Rexine Carrying Case			540
ITI/ ITI-V/ITHV/ITMR/ET	Rexine Carrying Case			580
Kit of Earth Tester Models ET Series	Consisting of - 4 M.S. spikes length 45 cms each approx., 1 Spike Lifting Rod, 3 Rolls of flexible wire wound on Spool (30m app), 5m Loose Wire, 1 Hammer, 1 Rexine Carrying Case (Not as per IS Standard)			2,505
Re-calibration Charges with Certificate for ITS/ITS-V/ITI/ITI-V/ITHV/ITMR/ET Models				380
AIT 501 10m leads set				5,150
AIT 501 standard leads set				3,195



# Product End-Of-Life

## Insulation Tester

Material Code	Model No	Description	Insulation Resistance	Voltage Range
TM05-0000000014MT	Rish Insu 5Dx	5kV Digital Insulation Tester 10 T Ohm with standard accessories	Upto 10TΩ	5kV



---

## Terms and conditions

- This issue of Price List supersedes all previous Price Lists
- All Prices are in INR
- The prices are subject to change without prior notice
- List Prices mentioned are exclusive of all taxes & duties
- Prices charged will be as prevailing on the date of dispatch
- Minimum order value criterion should be observed while ordering
- The company reserves the right to supply goods at its discretion
- For any non-standard requirement, please contact nearest sales office regarding technical feasibility, price & delivery

## Warranty

- All the products listed in the Price List carry a warranty of 18 months against manufacturing defects (unless otherwise specified) from the date of purchase or 12 months from the date of commissioning, whichever is earlier

## Note

- To facilitate the ordering kindly make use of product configurator
- Kindly refer respective datasheets for detailed technical specifications. Technical specs given in this price list are in abbreviated form only for easy understanding. Selection of products must be done from the datasheets.
- Since the product approbations mentioned in the price list are on generic header level, kindly contact to our nearest sales office for product-wise approbations
- For any enquiry regarding Energy Measurement Software and Solar Inverters, kindly contact our sales office.



RISHABH

Rev : LP / 2122 / TMI / 01

Product up-gradation is a continuous process. Hence data in this price list is subject to change without prior notice. For the latest information, please get in touch with our sales offices



Measure



Control



Record



Analyze

**RISHABH INSTRUMENTS PVT. LTD.**

+91 253 2202028/99 | [marketing@rishabh.co.in](mailto:marketing@rishabh.co.in) | [www.rishabh.co.in](http://www.rishabh.co.in)